Best Welds® Anti-Spatter - 1 lb



Safety Data Sheet

Section 1. Product identification

Product identifier Best Welds® Anti-Spatter - 1 lb

Other means of identification

Product Code No. 905-620-160Z (Item# 1008285)

Recommended useProtects from spatter build-up

Recommended restrictionsThis chemical/product is not and cannot be distributed in commerce (as

defined in TSCA section 3(5)) or processed (as defined in TSCA section

3(13)) for consumer paint or coating removal.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

Telephone

General Information215-674-4300Technical Assistance800-521-3168Customer Service800-272-4620

24-Hour Emergency

(CHEMTREC)

800-424-9300 (US)

Website www.crcindustries.com

Section 2. Hazard(s) identifications

Physical hazards Gases under pressure

Health hazards Acute toxicity, ora

Gases under pressure Compressed gas
Acute toxicity, oral Category 4

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 2

Carcinogenicity

Category 1

Category 2

Category 1

Category 2

Specific target organ toxicity, single

exposure

Category 3 narcotic effects

Specific target organ toxicity,

repeated exposure

Category 2





Environmental hazards
OSHA defined hazards
Label elements

Not classified. Not classified.







Signal word Danger

Hazard statement Contains gas under pressure; may explode if heated. Harmful if swallowed.

Causes skin irritation. Causes serious eye irritation. May cause drowsiness or

dizziness. May cause cancer. May cause damage to organs through prolonged

or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Do not breathe mist or vapor. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/

protective clothing/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If

on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

If exposed or concerned: Get medical advice/attention.

Storage Store locked up. Protect from sunlight. Store in a well-ventilated place.

Exposure to high temperature may cause can to burst.

DisposalDispose of contents/container in accordance with local/regional/national

regulations.

Hazard(s) not otherwise

classified (ENOC)

None known.

Supplemental informationWhen exposed to extreme heat or hot surfaces, vapors may decompose to

harmful or fatal corrosive gases such as hydrogen chloride and possibly

phosgene.

Section 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
methylene chloride		75-09-2	90 - 100
carbon dioxide		124-38-9	5 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.





treatment needed

media

Section 4. First-aid measures

InhalationRemove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contactRemove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing

before reuse.

Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

IngestionRinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

Most important symptoms/

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe effects, acute and delayed eye irritation. Symptoms may include stinging, tearing, redness, swelling,

eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged

exposure may cause chronic effects.

Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim

medical attention and special warm. Keep victim under observation. Symptoms may be delayed.

General informationIF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Section 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising fromPressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme

heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn

and precautions for in case of fire. firefighters

Fire-fighting
In case of fire: Stop leak if safe to do so. Move containers from fire area if equipment/instructions

you can do so without risk. Containers should be cooled with water to

prevent vapor pressure build up.

General fire hazards Contents under pressure. Pressurized container may rupture when exposed

to heat or flame.





Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120 °F/49 °C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).





Section 8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSEA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
methylene chloride (CAS 75-09-2)	STEL	125 ppm
	TWA	25 ppm

US. OSEA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3
		5000 ppm

US. ACGIE Threshold Limit Values

Components	Type	Value		
carbon dioxide (CAS 124-38-9)	STEL	30000 ppm		
	TWA	5000 ppm		
methylene chloride (CAS 75-09-2)	TWA	50 ppm		
US. NIOSE: Pocket Guide to Chemical Hazards				
Components	Type	Value		
carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3		
		30000 ppm		
	TWA	9000 mg/m3		

Biological limit values

ACGIE Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling time
methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichloromethane	Urine	*

^{+* -} For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

5000 ppm





Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear protective gloves such as: Polyvinyl alcohol (PVA). Viton/butyl. **Hand protection**

Other Wear appropriate chemical resistant clothing.

If engineering controls are not feasible or if exposure exceeds the applicable **Respiratory protection**

> exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee

exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Observe any medical surveillance requirements. When using do not smoke. considerations Keep away from food and drink. Always observe good personal hygiene

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Aerosol. Color Colorless.

Ether-like. Odor **Odor threshold** Not available. Not available.

Melting point/freezing point -139 °F (-95 °C) estimated 104 °F (40 °C) estimated

Initial boiling point and

boiling range

pН

Flash point None. **Evaporation rate** Fast.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower 15.5 % estimated

(%)

66.4 % estimated Flammability limit - upper

(%)

4517.2 hPa estimated **Vapor pressure**

Vapor density > 1 (air = 1)**Relative density** 1.33 estimated

Solubility(ies)

Solubility (water) Negligible.





Auto-ignition temperature 1033 °F (556.1 °C) estimated

Decomposition temperature

Not available.

Viscosity

Not available.

Percent volatile 90.1 % estimated

Section 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use,

storage and transport.

Chemical stabilityMaterial is stable under normal conditions.

Possibility of hazardousNo dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid Heat, flames and sparks. When exposed to extreme heat or hot surfaces,

vapors may decompose to harmful or fatal corrosive gases such as hydrogen

chloride and possibly phosgene. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Hydrogen chloride. Phosgene.

Section 11. Toxicological information

Information on likely routes of exposure

InhalationMay cause damage to organs through prolonged or repeated exposure by

inhalation. May cause drowsiness and dizziness. Headache. Nausea,

vomiting.

Skin contact Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and

toxicological characteristics ex

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test results

methylene chloride (CAS 75-09-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Dermal

LC50 Rat 52 mg/l, 6 Hours





Best Welds® **Anti-Spatter - 1 lb**

Causes skin irritation. **Skin corrosion/irritation**

Serious eye damage/eye

irritation

Causes serious eye irritation.

Information on likely routes of exposure

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater

than 0.1% are mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

methylene chloride (CAS 75-09-2)

2A Probably carcinogenic to humans.

OSEA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Cancer

methylene chloride

(CAS 75-09-2)

OSEA Specifically Regulated Substances (29 CFR 1910.1001-1052)

methylene chloride Reasonably Anticipated to be a Human Carcinogen. (CAS 75-09-2)

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure.

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic

effects.

Section 12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

Components **Test results Species**

methylene chloride (CAS 75-09-2)

Aquatic

1250 mg/l, 48 hours Water flea (Daphnia magna) EC50 Crustacea

140.8 - 277.8 mg/l, 96 hours Fish LC50 Fathead minnow (Pimephales promelas)

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

methylene chloride 1.25

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical

ozone creation potential, endocrine disruption, global warming potential) are

expected from this component.



Arc-Zone.com, Inc. • 1331 Specialty Dr • Vista, CA 92081 • Tel. 1.760.931.1500 Email: info@arc-zone.com



Section 13. Disposal considerations

Disposal instructionsThis material and its container must be disposed of as hazardous waste.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose

in accordance with all applicable regulations.

Eazardous waste code F002: Waste methylene chloride - Spent halogenated solvent

US RCRA Eazardous Waste U List: Reference

methylene chloride (CAS 75-09-2) U080

Contaminated packaging Since emptied containers may retain product residue, follow label warnings

even after container is emptied. Empty containers should be taken to an

approved waste handling site for recycling or disposal.

Section 14. Transport information

DOT

UN number UN1950

UN proper shipping name Aerosols, poison, Limited Quantity

Transport hazard class(es)

Class 2.2

Subsidiary risk 6.1(PGIII)
Label(s) 2.2, 6.1

Packing group Not applicable.

Special precautions for

user

Forbidden from transportation by air.

Packaging exceptions306Packaging non bulkNonePackaging bulkNone

IATA

UN number UN1950

UN proper shipping nameAerosols, non-flammable, containing substances in Division 6.1, Packing

Group III

Transport hazard class(es)

Class 2.2 Subsidiary risk 6.1

Packing group Not applicable.

ERG Code 2P

Special precautions forNot available.

user

Other information

Passenger and cargo A

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.





IMDG

UN numberUN proper shipping nameUN AEROSOLS

Transport hazard class(es)

Class 2.2 Subsidiary risk 6.1


Packing group Not applicable.

Environmental hazards

Marine pollutant No.


EmSSpecial precautions forNot available.

Dot



IATA; IMDG

user







Section 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

methylene chloride (CAS 75-09-2) 0.1 % Annual Export Notification required.

SARA 304 Eiergency release notification

Not regulated.

OSEA Specifically Regulated Substances (29 CFR 1910.1001-1052)

methylene chloride (CAS 75-09-2) Cancer

Heart

Central nervous system

Liver

Skin irritation Eye irritation

US EPCRA (SARA Title III) Section 313 - Toxic Cheiical: Listed substance

methylene chloride (CAS 75-09-2)

CERCLA Eazardous Substance List (40 CFR 302.4)

methylene chloride (CAS 75-09-2)

CERCLA Eazardous Substances: Reportable quantity

methylene chloride (CAS 75-09-2)

1000 LBS

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Eazardous Air Pollutants (EAPs) List

methylene chloride (CAS 75-09-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water

Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

Food and Drug

Administration (FDA)

Not regulated.

Superfund Aiendients and Reauthorization Act of 1986 (SARA)

Classified hazard

Gas under pressure

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 302 Extreiely hazardous substance

Not listed.

SARA 311/312
Hazardous chemical

Yes



Best Welds® Anti-Spatter - 1 lb

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
methylene chloride	75-09-2	90 - 100

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2)

US. Massachusetts RTK - Substance List

carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2)

US. Pennsylvania Worker and Community Right-to-Know Law

carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2)

US. Rhode Island RTK

carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2)

California Proposition 65

1

WARNING: Cancer - www.P65Warnings.ca.gov

California Proposition 65 - CRT: Listed date/Carcinogenic substance

methylene chloride (CAS 75-09-2) Listed: April 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

methylene chloride (CAS 75-09-2)

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR 51.100(s))

Consumer products (40 CFR 59, Subpt. C)

Not regulated.

State

Consumer products Not regulated.

VOC content (CA) 0%

VOC content (OTC) 0%





International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16. Other information, including date of preparation or last revision

Issue date

O6-26-2019

Prepared by

Dustin Kern

Version # 01

DisclaimerThe information contained in this document applies to this specific material

as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your

supervisor, a health & safety professional, or CRC Industries, Inc.

Revision information Hazard(s) identification: Response.

Transport Information: Material Transportation Information.

