

Safety Data Sheet

Section 1. Product identification

Product Trade Name:	EZ Wipes®
Product Use:	Abrasive Cleaning Wipe
Formula Name:	N/A
Email Address:	info@arc-zone.com
Web Address:	www.arc-zone.com
USA Address:	2091 Las Palmas Drive Ste. F
Telephone:	Worldwide: 1.760.931.1500 Toll Free: 1.800.944.2243
Preparation Date:	January 1, 2020

Section 2. Hazards identifications

EYE:	May cause moderate to severe irritation; may cause burning sensation, inflammation, swelling, redness, or tearing.
SKIN:	May cause mild irritation in the form of redness or stinging. Prolonged and repeated exposure could cause drying of skin.
INGESTION:	May cause gastrointestinal disturbances, nausea, vomiting, diarrhea, or dizziness.
INHALATION:	Prolonged exposure may cause mild irritation. May cause headache or dizziness.

GHS CATEGORIES:

Criteria	Category	Signal Word	Pictograms
Flammable Liquid	2	Warning	Flame
Eye Irritation	2A	3	Exclamation
Specific Target Organ Toxicity - Single Exposure	3	Warning	Exclamation

Section 6.

**LEAK / SPILL
RESPONSE:**

**SPECIAL
INSTRUCTIONS:**

Accidental release measures

Eliminate all sources of ignition and maintain adequate ventilation. Avoid breathing vapors.

Dispose of spill waste according to Section 13.

Section 7.

**HANDLING
PROCEDURES /
EQUIPMENT:**

**STORAGE
REQUIREMENTS:**

Handling and storage

Avoid contact with eyes and skin. Use adequate ventilation. Do not eat, drink, or smoke in work area. Wash thoroughly after handling or wear protective gloves.

Store in a cool, well ventilated area.

Section 8.

**PERSONAL
PROTECTION:**

**FACILITY
CONSIDERATION:**

**EXPOSURE
GUIDELINE LEVELS:**

Exposure controls, personal protection

None required under normal use conditions. Respiratory protection needed only when ventilation does not prevent symptoms. Eye protection and protective clothing not necessary under normal conditions. Rubber or other protective gloves are recommended for repeated skin contact or prolonged use.

Provide washing stations.

OSHA Exposure Guidelines:

Component	Limits
Isopropyl Alcohol	400 ppm TWA; 980mg/m ³ TWA
Isobutyl Alcohol	100 ppm TWA; 300 mg/m ³ TWA

ACIGH Exposure Guidelines:

Component	Limits
Isopropyl Alcohol	400 ppm STEL; 200 ppm TWA
Isobutyl Alcohol	50 ppm TWA

Section 9. Physical and chemical properties

PHYSICAL STATE:	Saturated Non-Woven Material
ODOR AND APPEARANCE:	Solvent
ODOR THRESHOLD:	Not Determined
VAPOUR PRESSURE (mm HG):	>1
VAPOUR DENSITY (AIR=1):	>2
EVAPORATION RATE (EE=1):	>0.1
BOILING POINT (F):	>180° Fahrenheit
FREEZING POINT (F):	< -85° Fahrenheit
Ph:	N/A
COEFFICIENT OF WATER/OIL DISTRIBUTION:	Not Determined
DENSITY:	0.84510 @ 25° Celsius
SOLUBILITY IN WATER:	Appreciable
FLASH POINT:	69° Fahrenheit

Section 10. Stability and reactivity

STABILITY:	Stable under normal temperatures and pressures
CONDITIONS TO AVOID:	Avoid contact with heat, sparks, electric arcs, other hot surfaces, and open flames. Avoid static discharge. Avoid sources of ignition
MATERIALS TO AVOID (INCOMPATIBILITIES):	Acids, alkalies, amines, halogens, strong oxidizing agents, chlorine, isocyanates, chlorinated compounds, aldehydes, alkanolamines, ethylene oxide, aluminum, oleum, chromium trioxide, acetaldehyde, ketones, acid anhydrides, permanganates, hydrogen peroxide, potassium tert-butoxide, iron salts, carbonyl dichloride (phosgene), Trinitromethane, barium perchlorate, dioxygenyl tetrafluoroborate, nitroform, perchloric acid, hypochlorous acid, sulfuric acid, urea formaldehyde, hexamethylene diisocyanate, caustics, halogenated organics, aluminum isopropoxide + crotonaldehyde + heat, sodium dichromate + sulfuric acid, hydrogen + palladium, hydrogen peroxide-sulfuric acid combination. May attack some forms of plastic, rubbers, and coatings
CONDITIONS OF REACTIVITY:	No dangerous reaction known under conditions of normal use
HAZARDOUS DECOMPOSITION BYPRODUCTS:	Carbon dioxide, carbon monoxide, irritating and/or toxic gases, aldehydes, ketones, organic acids, acrid fumes, oxides of citrus terpenes

Section 11. Toxicological information

Component	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	Rat: 4396 mg/kg	Rabbit: 12,800 Mg/KG	8H Rat: 16,000.0 ppm
Isobutyl Alcohol	Rat: 2460 mg/kg	Rabbit 3400 mg/kg	4H Rat: >6.5 mg/l

ROUTES OF ENTRY:	Eye contact, skin contact, inhalation, ingestion, absorption.
EYES:	Contact may cause burning sensation, blurred vision, inflammation, swelling, redness, and/or tearing.
SKIN CONTACT:	May cause moderate irritation. Prolonged and repeated contact with skin can cause drying of the skin which may result in skin irritation and dermatitis. Prolonged and repeated exposure may cause: redness, cracking, scaling, blistering. May be harmful if absorbed through skin. Prolonged or widespread contact may result in the absorption of potentially harmful amounts of material. Effects may include those described for swallowing
INHALATION:	May cause moderate irritation. Vapors of mist may irritate nose, throat, and/or respiratory tract.
INGESTION:	May cause moderate irritation. May cause gastrointestinal irritation, nausea, vomiting, diarrhea, cramps, abdominal pain, headache, dizziness, drowsiness.
TOXICOLOGICAL DATA:	CFC and HCFC free

Section 12. Ecological information

ENVIRONMENTAL EFFECTS:	No Data available.
IMPORTANT ENVIRONMENTAL CHARACTERISTICS:	No Data available.
AQUATIC TOXICITY:	This Product is insoluble in water and not biodegradable. Very harmful to aquatic life.

Section 13. Disposal considerations

This product is insoluble in water and not biodegradable. It is necessary to dispose of this product according to the applicable law or regulation in the country used; disposal in regular trash is allowed in most places. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator

Section 14. Transport information

This product falls under the following provisions:

CFR–Special Provision 47

IATA–Special Provision A46

IMO–Special Provision 216

No special shipping instructions needed on declarations. It is highly recommended that each client determine shipping regulations within the originating country and final destination company. Not all countries follow the above regulations.

Not special requirements.

Section 15. Regulatory information

TOXIC SUBSTANCES CONTROL ACT (TSCA):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

SARA Title III Section 311/312 Category Hazards:

Component	CAS Number	CERCLA RQ	SARA EHS	SARA 313	U.S. HAP	WI HAP	Prop 65	Immediate (Acute)	Delayed (Chronic)	Fire Hazard	Pressure Release	Reactive
								Yes	Yes	Yes	No	No
Isopropyl Alcohol	67-63-0	No	No	No	No	No	No	Yes	Yes	Yes	No	No
Isobutyl Alcohol	78-83-1	Yes	No	No	No	Yes	No	Yes	Yes	Yes	No	No

Section 16. Other information

N/E

Not Established

N/Av

Not Available

N/Ap

Not Applicable

IARC

International Agency for Research on Cancer

ACGIH

American Conference of Governmental Industrial Hygienists

NIOSH

National Institute for Occupational Health and Safety

TLV-TWA

Threshold Limit Values, Time Weighted Average

NAERG

North American Emergency Response Guidebook

WHMIS

Workplace Hazardous Materials Information System

The information contained herein is based on data considered accurate. However, to warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Regulatory information is intended to be as complete as possible. It is ultimately the user's responsibility, however, to determine state, and local laws in the use of this product. Arc-zone.com assumes no responsibility for personal injury or property damage to users or third parties caused by the material. Such users assume all risks associated with the use of the material

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

Information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own particular use. Arc-Zone.com does not accept liability for any loss or damage that may occur from this information nor offers warranty against patent infringement.